

NOTICE INVITING WRITTEN PUBLIC COMMENTS

NOTICE is hereby given that the Executive Officer/Air Pollution Control Officer of the Bay Area Air Quality Management District invites interested persons to submit written public comments on the proposed Significant Revision to a Major Facility Review Permit for the following Facility:

Applications	Facility#	Facility Name	Address, City	Type of Operation
1870, 2582, 2818, 2894, 2941, 3285	A0051	United Airlines San Francisco Maintenance Center	Maintenance Base Bldg 49-2- SFOMP San Francisco International Airport San Francisco, CA 94128-3800	Commercial Aircraft Maintenance

The purpose of this revision is to update the Title V permit issued to United on March 20, 2000. Since the initial issuance, United has requested that a number of changes be made, including the conversion of permitted sources to exempt sources concurrent with a reduction in monitoring, the addition of new sources, modifications to existing sources, and the correction of erroneous information. The proposed revisions include permit modifications made in six District permit applications, the details of which are included in the attached Permit Evaluation. In addition to the changes requested by United, the District has made updates and corrections to the permit as appropriate. All changes are clearly shown in strikeout/underline format.

The proposed increase in emissions is:

Nitrogen Oxides	39.05 tons per year
Precursor Organic Compounds	1.94 tons per year
Carbon Monoxide	1.00 tons per year
Sulfur Dioxide	0.32 tons per year
PM10	1.32 tons per year

The detail of the maximum emissions of hazardous air pollutants may be found in the application evaluations attached to the permit evaluation/statement of basis. In accordance with the requirements of the BAAQMD Risk Management Policy and California Air Pollution Control Officers Association (CAPCOA) guidelines, the impact on public health due to the emission of these compounds was assessed utilizing air pollutant dispersion models. The resulting multi-pathway carcinogenic risk is 0.004 in a million. The non-carcinogenic chronic hazard index is 0.00002.

Major facilities are required to obtain operating permits under Title V of the 1990 Clean Air Act Amendments, the Federal Operating Permit Program and the District's Regulation 2, Rule 6 - Major Facility Review. The permits summarize all air-related requirements that apply to each source of emissions at each facility.

The Executive Officer/Air Pollution Control Officer invites written comment on the above significant revision. Comments must be received by May 26, 2003. The public may also request a public hearing for this significant revision.

Significant revisions of a Title V permit are also subject to review and approval by US EPA. If US EPA has not objected to a proposed significant revision and District has not addressed a public comment in a satisfactory manner, the public may petition US EPA, Region IX, Operating Permits Section at 75 Hawthorne Street, San Francisco, CA 94105, within 60 days after the end of US EPA's review, to reconsider the issuance of the permit. The beginning and end of EPA's review period can be found on EPA Region IX's website at: <http://www.epa.gov/region9/air/permit/epssdata.htm>.

The proposed Major Facility Review permit, applications, and the permit evaluation/statement of basis are available for public inspection at the following locations:

South San Francisco Library, 840 W. Orange Ave., South San Francisco, CA

San Bruno Library, 701 Argus Ave. West, San Bruno, CA

The documents are also available at the District Headquarters, 939 Ellis Street, San Francisco, CA, in the Permit Services Division, 3rd Floor. For an appointment, please call May Leung at (415) 749-4729. The permit and permit evaluation/statement of basis are also available on the District's webpage at the following address: <http://www.baaqmd.gov/permit/t5/NOTIFICA.HTM>. Written comments should be directed to Ted Hull, Bay Area Air Quality Management District, 939 Ellis Street, San Francisco, CA 94109 or by email to rhull@baaqmd.gov. Any request for information or for a public hearing should be directed to Ted Hull, Telephone (415) 749-4919.

Dated at San Francisco, the 16th day of April, 2003.

Signed by William C. Norton

William C. Norton

Executive Officer/

Air Pollution Control Officer

Bay Area Air Quality Management District

WDB:SAH:myl

h:\pub_data\titlev\permit\Significant\propose\A0051signif.doc